DHУ

TECHNICAL DATA DHV TESTREPORT LTF DATASHEET PARTS LIST OPERATING INSTRUCTION PRINT

DHV TESTREPORT LTF

DHV Databases

SKYWALK TONIC2+ M Type designation	Skywalk Tonic2+ M	
Type test reference no Holder of certification	DHV GS-01-2517-19 Skywalk GmbH & Co. KG	
Manufacturer Classification	Skywalk GmbH & Co. KG C	
Winch towing Number of seats min / max	1 / 1	
Accelerator Trimmers	No	
Test pilots	BEHAVIOUR AT MIN WEIGHT IN FLIGHT (65KG)	BEHAVIOUR AT MAX WEIGHT IN FLIGHT (119KG)
rest phots		
	Beni Stocker	Sebastian Mackrodt
<u>Inflation/take-off</u>	No release	No release
Rising behaviour Special take off technique required	Smooth, easy and constant rising No	Smooth, easy and constant rising No
		A
Special landing technique required	<u> </u>	No
	<u> </u>	В
Trim speed more than 30 km/h Speed range using the controls larger than 10 km/h		Yes Yes
•	Less than 25 km/h	25 km/h to 30 km/h
	<u> </u>	c
Symmetric control pressure Symmetric control travel	-	Increasing 50 cm to 65 cm
Pitch stability exiting accelerated flight	A	A
Dive forward angle on exit Collapse occurs		Dive forward less than 30° No
Pitch stability operating controls during	A	A
accelerated flight Collapse occurs	<u> </u>	No
		A
Oscillations	<u> </u>	Reducing
	<u> </u>	Spontaneous evit
Tendency to return to straight flight	•	Spontaneous exit
Initial response of glider (first 180°)	<u> </u>	Immediate reduction of rate of turn
	Spontaneous exit (g force decreasing, rate of turn decreasing)	rate of turn decreasing)
Turn angle to recover normal flight		Less than 720°, spontaneous recovery
	Rocking back less than 45°	Rocking back less than 45°
Recovery Dive forward angle on exit	Spontaneous in less than 3 s Dive forward 0° to 30°	Spontaneous in less than 3 s Dive forward 0° to 30°
Change of course Cascade occurs		Keeping course No
Folding lines used		no
Unaccelerated collapse (at least 50 % chord) Entry	Rocking back less than 45°	Rocking back less than 45°
Recovery Dive forward angle on exit	Spontaneous in less than 3 s Dive forward 0° to 30°	Spontaneous in less than 3 s Dive forward 0° to 30°
Change of course Cascade occurs	Entering a turn of less than 90° No	Entering a turn of less than 90° No
Folding lines used	no	no
	<u> </u>	В
Recovery	Rocking back less than 45° Spontaneous in less than 3 s	Rocking back less than 45° Spontaneous in less than 3 s
Dive forward angle on exit Change of course	Dive forward 0° to 30° Entering a turn of less than 90°	Dive forward 30° to 60° Entering a turn of less than 90°
Cascade occurs Folding lines used		No no
Exiting deep stall (parachutal stall)	A	В
Deep stall achieved	Yes Spontaneous in less than 3 s	Yes Spontaneous in less than 3 s
Dive forward angle on exit	·	Dive forward 30° to 60° Changing course less than 45°
Cascade occurs		No
	Spontaneous in less than 3 s	Spontaneous in less than 3 s
Cascade occurs		No No
	<u> </u>	C
-	No collapse	Dive forward 60° to 90° Symmetric collapse
Cascade occurs (other than collapses) Rocking back	Less than 45°	No Greater than 45°
	Most lines tight	Most lines tight
Small asymmetric collapse Change of course until re-inflation	<u> </u>	90° to 180°
Maximum dive forward or roll angle Re-inflation behaviour		Dive or roll angle 15° to 45° Spontaneous re-inflation
Total change of course	·	Less than 360°
conapse on the opposite state occurs	with a spontaneous re inflation)	collapsed cells with a spontaneous re inflation)
Twist occurs Cascade occurs	No	No No
Folding lines used		no
Large asymmetric collapse Change of course until re-inflation	<u> </u>	90° to 180°
Maximum dive forward or roll angle Re-inflation behaviour	Dive or roll angle 15° to 45°	Dive or roll angle 45° to 60° Spontaneous re-inflation
Total change of course		Less than 360°
	with a spontaneous re inflation)	collapsed cells with a spontaneous re inflation)
Twist occurs Cascade occurs	No	No No
Folding lines used	no	no
Small asymmetric collapse accelerated Change of course until re-inflation	<u> </u>	90° to 180°
Maximum dive forward or roll angle Re-inflation behaviour	Dive or roll angle 15° to 45°	Dive or roll angle 45° to 60° Spontaneous re-inflation
Total change of course	Less than 360°	Less than 360°
	No (or only a small number of collapsed cells with a spontaneous re inflation)	collapsed cells with a spontaneous re inflation)
Twist occurs Cascade occurs	No	No No
Folding lines used		no
	<u> </u>	90° to 180°
Change of course until re-inflation Maximum dive forward or roll angle Re-inflation behaviour	Dive or roll angle 15° to 45°	Dive or roll angle 45° to 60°
Re-inflation behaviour Total change of course Collapse on the opposite side occurs	Less than 360°	Spontaneous re-inflation Less than 360° No (or only a small number of
Conapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous re inflation)	No (or only a small number of collapsed cells with a spontaneous re inflation)
Twist occurs Cascade occurs		No No
Folding lines used		no
Directional control with a maintained asymmetric collapse	A	A
Able to keep course 180° turn away from the collapsed side possible in		Yes Yes
180° turn away from the collapsed side possible in 10 s Amount of control range between turn and stall or		More than 50 % of the symmetric
spin	travel	control travel
Trim speed spin tendency Spin occurs	<u>i</u>	A No
		A
Spin occurs	<u></u>	No
	<u></u>	A
Spin rotation angle after release	Stops spinning in less than 90°	Stops spinning in less than 90°

Change of course before release Changing course less than 45°

Dive forward angle on exit Dive forward 0° to 30°

Dive forward angle on exit Dive forward 0° to 30°

Dive forward angle on exit Dive forward 0° to 30°

Cascade occurs No

Behaviour during big ears Stable flight

Behaviour during big ears Stable flight

Behaviour immediately after releasing the Stable flight accelerator while maintaining big ears

No other flight procedure or configuration described in the user's manual

180° turn achievable in 20 s Yes

Stall or spin occurs No

Any other flight procedure and/or configuration described in the user's manual

Behaviour before release Remains stable with straight span

Entry procedure Standard technique

Entry procedure Standard technique

Recovery Spontaneous in less than 3 s

Recovery Spontaneous in less than 3 s

Recovery Spontaneous in less than 3 s

Cascade occurs No

B-line stall

Big ears

Big ears in accelerated flight

Alternative means of directional control

Changing course less than 45°

Spontaneous in less than 3 s

Spontaneous in less than 3 s

Spontaneous in less than 3 s

Dive forward 30° to 60°

Standard technique

Dive forward 0° to 30°

Standard technique

Dive forward 0° to 30°

Stable flight

Stable flight

Stable flight

Yes

No

Remains stable with straight span

No

No