



TEST REPORT LTF 2024-2-785 / EN 926-2:2013+A1:2021

GIN BANDIT 2 XS

Type designation	GIN Bandit 2 XS	
Type test reference no	DHV GS-01-3056-25	
Holder of certification	GIN Gliders Inc.	
Manufacturer	GIN Gliders Inc.	
Classification	B	
Winch towing	Yes	
Number of seats min / max	1 / 1	
Accelerator	Yes	
Trimmers	No	

	BEHAVIOUR AT MIN WEIGHT IN FLIGHT (65KG)	BEHAVIOUR AT MAX WEIGHT IN FLIGHT (85KG)
--	--	--

Test pilots	 Juliette Schönsee No release	 Josef Bauer No release
-------------	---	---

Inflation/take-off	A	B
--------------------	---	---

Rising behaviour	Smooth, easy and constant rising	Easy rising, some pilot correction is required
------------------	----------------------------------	--

Special take off technique required	No	No
-------------------------------------	----	----

Landing	A	A
---------	---	---

Special landing technique required	No	No
------------------------------------	----	----

Speeds in straight flight	A	A
---------------------------	---	---

Trim speed more than 30 km/h	Yes	Yes
------------------------------	-----	-----

Speed range using the controls larger than 10 km/h	Yes	Yes
--	-----	-----

Minimum speed	Less than 25 km/h	Less than 25 km/h
---------------	-------------------	-------------------

Control movement	A	A
------------------	---	---

Symmetric control pressure	Increasing	Increasing
----------------------------	------------	------------

Symmetric control travel	Greater than 55 cm	Greater than 60 cm
--------------------------	--------------------	--------------------

Pitch stability exiting accelerated flight	A	A
--	---	---

Dive forward angle on exit	Dive forward less than 30°	Dive forward less than 30°
----------------------------	----------------------------	----------------------------

Collapse occurs	No	No
-----------------	----	----

Pitch stability operating controls during accelerated flight	A	A
--	---	---

Collapse occurs	No	No
-----------------	----	----

Roll stability and damping	A	A
----------------------------	---	---

Oscillations	Reducing	Reducing
--------------	----------	----------

Stability in gentle spirals	A	A
-----------------------------	---	---

Tendency to return to straight flight	Spontaneous exit	Spontaneous exit
---------------------------------------	------------------	------------------

Behaviour exiting a fully developed spiral dive	A	A
---	---	---

Initial response of glider (first 180°)	Immediate reduction of rate of turn	Immediate reduction of rate of turn
---	-------------------------------------	-------------------------------------

Tendency to return to straight flight	Spontaneous exit (g force decreasing, rate of turn decreasing)	Spontaneous exit (g force decreasing, rate of turn decreasing)
---------------------------------------	--	--

Turn angle to recover normal flight	Less than 720°, spontaneous recovery	Less than 720°, spontaneous recovery
-------------------------------------	--------------------------------------	--------------------------------------

Symmetric front collapse	A	B
--------------------------	---	---

Entry	Rocking back less than 45°	Rocking back less than 45°
-------	----------------------------	----------------------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 30° to 60°
----------------------------	------------------------	-------------------------

Change of course	Entering a turn of less than 90°	Entering a turn of less than 90°
------------------	----------------------------------	----------------------------------

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Unaccelerated collapse (at least 50 % chord)	A	B
--	---	---

Entry	Rocking back less than 45°	Rocking back less than 45°
-------	----------------------------	----------------------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 30° to 60°
----------------------------	------------------------	-------------------------

Change of course	Entering a turn of less than 90°	Entering a turn of less than 90°
------------------	----------------------------------	----------------------------------

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Accelerated collapse (at least 50 % chord)	A	B
--	---	---

Entry	Rocking back less than 45°	Rocking back less than 45°
-------	----------------------------	----------------------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 30° to 60°
----------------------------	------------------------	-------------------------

Change of course	Entering a turn of less than 90°	Entering a turn of less than 90°
------------------	----------------------------------	----------------------------------

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Exiting deep stall (parachutal stall)	B	B
---------------------------------------	---	---

Deep stall achieved	Yes	Yes
---------------------	-----	-----

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 30° to 60°	Dive forward 30° to 60°
----------------------------	-------------------------	-------------------------

Change of course	Changing course less than 45°	Changing course less than 45°
------------------	-------------------------------	-------------------------------

Cascade occurs	No	No
----------------	----	----

High angle of attack recovery	A	A
-------------------------------	---	---

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Cascade occurs	No	No
----------------	----	----

Recovery from a developed full stall	A	B
--------------------------------------	---	---

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 30° to 60°
----------------------------	------------------------	-------------------------

Collapse	No collapse	No collapse
----------	-------------	-------------

Cascade occurs (other than collapses)	No	No
---------------------------------------	----	----

Rocking back	Less than 45°	Less than 45°
--------------	---------------	---------------

Line tension	Most lines tight	Most lines tight
--------------	------------------	------------------

Small asymmetric collapse	A	A
---------------------------	---	---

Change of course until re-inflation	Less than 90°	Less than 90°
-------------------------------------	---------------	---------------

Maximum dive forward or roll angle	Dive or roll angle 15° to 45°	Dive or roll angle 15° to 45°
------------------------------------	-------------------------------	-------------------------------

Re-inflation behaviour	Spontaneous re-inflation	Spontaneous re-inflation
------------------------	--------------------------	--------------------------

Total change of course	Less than 360°	Less than 360°
------------------------	----------------	----------------

Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous re inflation)	No (or only a small number of collapsed cells with a spontaneous re inflation)
--------------------------------------	--	--

Twist occurs	No	No
--------------	----	----

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Large asymmetric collapse	B	B
---------------------------	---	---

Change of course until re-inflation	90° to 180°	90° to 180°
-------------------------------------	-------------	-------------

Maximum dive forward or roll angle	Dive or roll angle 15° to 45°	Dive or roll angle 15° to 45°
------------------------------------	-------------------------------	-------------------------------

Re-inflation behaviour	Spontaneous re-inflation	Spontaneous re-inflation
------------------------	--------------------------	--------------------------

Total change of course	Less than 360°	Less than 360°
------------------------	----------------	----------------

Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous re inflation)	No (or only a small number of collapsed cells with a spontaneous re inflation)
--------------------------------------	--	--

Twist occurs	No	No
--------------	----	----

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Small asymmetric collapse accelerated	A	B
---------------------------------------	---	---

Change of course until re-inflation	Less than 90°	90° to 180°
-------------------------------------	---------------	-------------

Maximum dive forward or roll angle	Dive or roll angle 15° to 45°	Dive or roll angle 15° to 45°
------------------------------------	-------------------------------	-------------------------------

Re-inflation behaviour	Spontaneous re-inflation	Spontaneous re-inflation
------------------------	--------------------------	--------------------------

Total change of course	Less than 360°	Less than 360°
------------------------	----------------	----------------

Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous re inflation)	No (or only a small number of collapsed cells with a spontaneous re inflation)
--------------------------------------	--	--

Twist occurs	No	No
--------------	----	----

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Large asymmetric collapse accelerated	B	B
---------------------------------------	---	---

Change of course until re-inflation	90° to 180°	90° to 180°
-------------------------------------	-------------	-------------

Maximum dive forward or roll angle	Dive or roll angle 15° to 45°	Dive or roll angle 15° to 45°
------------------------------------	-------------------------------	-------------------------------

Re-inflation behaviour	Spontaneous re-inflation	Spontaneous re-inflation
------------------------	--------------------------	--------------------------

Total change of course	Less than 360°	Less than 360°
------------------------	----------------	----------------

Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous re inflation)	No (or only a small number of collapsed cells with a spontaneous re inflation)
--------------------------------------	--	--

Twist occurs	No	No
--------------	----	----

Cascade occurs	No	No
----------------	----	----

Folding lines used	no	no
--------------------	----	----

Directional control with a maintained asymmetric collapse	A	A
---	---	---

Able to keep course	Yes	Yes
---------------------	-----	-----

180° turn away from the collapsed side possible in 10 s	Yes	Yes
---	-----	-----

Amount of control range between turn and stall or spin	More than 50 % of the symmetric control travel	More than 50 % of the symmetric control travel
--	--	--

Trim speed spin tendency	A	A
--------------------------	---	---

Spin occurs	No	No
-------------	----	----

Low speed spin tendency	A	A
-------------------------	---	---

Spin occurs	No	No
-------------	----	----

Recovery from a developed spin	A	A
--------------------------------	---	---

Spin rotation angle after release	Stops spinning in less than 90°	Stops spinning in less than 90°
-----------------------------------	---------------------------------	---------------------------------

Cascade occurs	No	No
----------------	----	----

B-line stall	A	A
--------------	---	---

Change of course before release	Changing course less than 45°	Changing course less than 45°
---------------------------------	-------------------------------	-------------------------------

Behaviour before release	Remains stable with straight span	Remains stable with straight span
--------------------------	-----------------------------------	-----------------------------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 0° to 30°
----------------------------	------------------------	------------------------

Cascade occurs	No	No
----------------	----	----

Big ears	A	A
----------	---	---

Entry procedure	Standard technique	Standard technique
-----------------	--------------------	--------------------

Behaviour during big ears	Stable flight	Stable flight
---------------------------	---------------	---------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 0° to 30°
----------------------------	------------------------	------------------------

Big ears in accelerated flight	A	A
--------------------------------	---	---

Entry procedure	Standard technique	Standard technique
-----------------	--------------------	--------------------

Behaviour during big ears	Stable flight	Stable flight
---------------------------	---------------	---------------

Recovery	Spontaneous in less than 3 s	Spontaneous in less than 3 s
----------	------------------------------	------------------------------

Dive forward angle on exit	Dive forward 0° to 30°	Dive forward 0° to 30°
----------------------------	------------------------	------------------------

Behaviour immediately after releasing the accelerator while maintaining big ears	Stable flight	Stable flight
--	---------------	---------------

Alternative means of directional control	A	A
--	---	---

180° turn achievable in 20 s	Yes	Yes
------------------------------	-----	-----

Stall or spin occurs	No	No
----------------------	----	----

Any other flight procedure and/or configuration described in the user's manual	No other flight procedure or configuration described in the user's manual	
--	---	--