


DHV TESTREPORT EN 926-2:2013+A1:2021

SKYWALK MINT 75

| | |
|---------------------------|-----------------------|
| Type designation | Skywalk Mint 75 |
| Type test reference no | DHV GS-01-2798-23 |
| Holder of certification | Skywalk GmbH & Co. KG |
| Manufacturer | Skywalk GmbH & Co. KG |
| Classification | C |
| Winch towing | Yes |
| Number of seats min / max | 1 / 1 |
| Accelerator | Yes |
| Trimmers | No |



| | BEHAVIOUR AT MIN WEIGHT IN FLIGHT (55KG) | BEHAVIOUR AT MAX WEIGHT IN FLIGHT (75KG) |
|--|--|--|
| Test pilots | Juliette Schönsee Expert Reiner Brunn | Josef Bauer |
| Inflation/take-off | No release B | No release B |
| Rising behaviour | Easy rising, some pilot correction is required | Easy rising, some pilot correction is required |
| Special take off technique required | No | No |
| Landing | A | A |
| Special landing technique required | No | No |
| Speeds in straight flight | A | A |
| Trim speed more than 30 km/h | Yes | Yes |
| Speed range using the controls larger than 10 km/h | Yes | Yes |
| Minimum speed | Less than 25 km/h | Less than 25 km/h |
| Control movement | C | C |
| Symmetric control pressure | Increasing | Increasing |
| Symmetric control travel | 40 cm to 55 cm | 40 cm to 55 cm |
| Pitch stability exiting accelerated flight | A | A |
| Dive forward angle on exit | Dive forward less than 30° | Dive forward less than 30° |
| Collapse occurs | No | No |
| Pitch stability operating controls during accelerated flight | A | A |
| Collapse occurs | No | No |
| Roll stability and damping | A | A |
| Oscillations | Reducing | Reducing |
| Stability in gentle spirals | A | A |
| Tendency to return to straight flight | Spontaneous exit | Spontaneous exit |
| Behaviour exiting a fully developed spiral dive | B | A |
| Initial response of glider (first 180°) | en : keine unmittelbare Reaktion | Immediate reduction of rate of turn |
| Tendency to return to straight flight | Spontaneous exit (g force decreasing, rate of turn decreasing) | Spontaneous exit (g force decreasing, rate of turn decreasing) |
| Turn angle to recover normal flight | 720° to 1 080°, spontaneous recovery | Less than 720°, spontaneous recovery |
| Symmetric front collapse | C | C |
| Entry | Rocking back less than 45° | Rocking back less than 45° |
| Recovery | Spontaneous in less than 3 s | Spontaneous in less than 3 s |
| Dive forward angle on exit | Dive forward 0° to 30° | Dive forward 0° to 30° |
| Change of course | Keeping course | Keeping course |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Unaccelerated collapse (at least 50 % chord) | C | C |
| Entry | Rocking back less than 45° | Rocking back less than 45° |
| Recovery | Spontaneous in 3 s to 5 s | Spontaneous in less than 3 s |
| Dive forward angle on exit | Dive forward 0° to 30° | Dive forward 0° to 30° |
| Change of course | Entering a turn of less than 90° | Keeping course |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Accelerated collapse (at least 50 % chord) | C | C |
| Entry | Rocking back less than 45° | Rocking back less than 45° |
| Recovery | Spontaneous in 3 s to 5 s | Spontaneous in less than 3 s |
| Dive forward angle on exit | Dive forward 30° to 60° | Dive forward 30° to 60° |
| Change of course | Entering a turn of less than 90° | Entering a turn of less than 90° |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Exiting deep stall (parachutal stall) | B | B |
| Deep stall achieved | Yes | Yes |
| Recovery | Spontaneous in less than 3 s | Spontaneous in less than 3 s |
| Dive forward angle on exit | Dive forward 30° to 60° | Dive forward 30° to 60° |
| Change of course | Changing course less than 45° | Changing course less than 45° |
| Cascade occurs | No | No |
| High angle of attack recovery | A | A |
| Recovery | Spontaneous in less than 3 s | Spontaneous in less than 3 s |
| Cascade occurs | No | No |
| Recovery from a developed full stall | B | B |
| Dive forward angle on exit | Dive forward 30° to 60° | Dive forward 30° to 60° |
| Collapse | No collapse | No collapse |
| Cascade occurs (other than collapses) | No | No |
| Rocking back | Less than 45° | Less than 45° |
| Line tension | Most lines tight | Most lines tight |
| Small asymmetric collapse | C | C |
| Change of course until re-inflation | Less than 90° | Less than 90° |
| Maximum dive forward or roll angle | Dive or roll angle 15° to 45° | Dive or roll angle 15° to 45° |
| Re-inflation behaviour | Spontaneous re-inflation | Inflates in less than 3 s from start of pilot action |
| Total change of course | Less than 360° | Less than 360° |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous re inflation) | No (or only a small number of collapsed cells with a spontaneous re inflation) |
| Twist occurs | No | No |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Large asymmetric collapse | C | C |
| Change of course until re-inflation | 90° to 180° | 90° to 180° |
| Maximum dive forward or roll angle | Dive or roll angle 15° to 45° | Dive or roll angle 15° to 45° |
| Re-inflation behaviour | Inflates in less than 3 s from start of pilot action | Spontaneous re-inflation |
| Total change of course | Less than 360° | Less than 360° |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous re inflation) | No (or only a small number of collapsed cells with a spontaneous re inflation) |
| Twist occurs | No | No |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Small asymmetric collapse accelerated | C | C |
| Change of course until re-inflation | Less than 90° | 90° to 180° |
| Maximum dive forward or roll angle | Dive or roll angle 15° to 45° | Dive or roll angle 15° to 45° |
| Re-inflation behaviour | Spontaneous re-inflation | Inflates in less than 3 s from start of pilot action |
| Total change of course | Less than 360° | Less than 360° |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous re inflation) | No (or only a small number of collapsed cells with a spontaneous re inflation) |
| Twist occurs | No | No |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Large asymmetric collapse accelerated | C | C |
| Change of course until re-inflation | 90° to 180° | 90° to 180° |
| Maximum dive forward or roll angle | Dive or roll angle 15° to 45° | Dive or roll angle 15° to 45° |
| Re-inflation behaviour | Inflates in less than 3 s from start of pilot action | Inflates in less than 3 s from start of pilot action |
| Total change of course | Less than 360° | Less than 360° |
| Collapse on the opposite side occurs | No (or only a small number of collapsed cells with a spontaneous re inflation) | No (or only a small number of collapsed cells with a spontaneous re inflation) |
| Twist occurs | No | No |
| Cascade occurs | No | No |
| Folding lines used | yes | yes |
| Directional control with a maintained asymmetric collapse | A | A |
| Able to keep course | Yes | Yes |
| 180° turn away from the collapsed side possible in 10 s | Yes | Yes |
| Amount of control range between turn and stall or spin | More than 50 % of the symmetric control travel | More than 50 % of the symmetric control travel |
| Trim speed spin tendency | A | A |
| Spin occurs | No | No |
| Low speed spin tendency | A | A |
| Spin occurs | No | No |
| Recovery from a developed spin | B | A |
| Spin rotation angle after release | Stops spinning in 90° to 180° | Stops spinning in less than 90° |
| Cascade occurs | No | No |
| B-line stall | Not carried out because the manoeuvre is excluded in the user's manual | |
| Big ears | B | B |
| Entry procedure | Standard technique | Standard technique |
| Behaviour during big ears | Stable flight | Stable flight |
| Recovery | Recovery through pilot action in less than a further 3 s | Recovery through pilot action in less than a further 3 s |
| Dive forward angle on exit | Dive forward 0° to 30° | Dive forward 0° to 30° |
| Big ears in accelerated flight | B | B |
| Entry procedure | Standard technique | Standard technique |
| Behaviour during big ears | Stable flight | Stable flight |
| Recovery | Recovery through pilot action in less than a further 3 s | Recovery through pilot action in less than a further 3 s |
| Dive forward angle on exit | Dive forward 0° to 30° | Dive forward 0° to 30° |
| Behaviour immediately after releasing the accelerator while maintaining big ears | Stable flight | Stable flight |
| Alternative means of directional control | A | A |
| 180° turn achievable in 20 s | Yes | Yes |
| Stall or spin occurs | No | No |
| Any other flight procedure and/or configuration described in the user's manual | No other flight procedure or configuration described in the user's manual | |