AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 🔺 CH-1844 Villeneuve 🔺 +41 (0)21 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes



Flight test report: EN 926-2:2013 & LTF 91/09

Manufacturer Niviuk Gliders / Air Games S.L.		Certification number	F	PG_1600.2019	
Address C. Del Ter, 6 Nave D 17165 La Cellera de Ter Girona Spain		Flight test	C	9.09.2019	
Glider model	Skin 3 P 20	Classification	E	3	
Serial number	OISK320PS	Representative	Ν	lone	
_ .		Place of test		Villeneuve	
Folding lines used no			v	licheuve	
Test pilot		Philippe Dupont	A	Alain Zoller	
Harness		Advance - Success 4 M	A	Advance - Success 4 M	
Harness to risers dis	stance (cm)	44	4	44	
Distance between ris	. ,	44	4	46	
	、				
Total weight in flight	. (K <u>y</u>)	85	1	110	
1. Inflation/Take-off		Α			
Rising behaviour		Smooth, easy and constant rising	А	Smooth, easy and constant rising	А
Special take off technique r	required	No	Α	No	A
2. Landing		A			
Special landing technique required		No	А	No	А
3. Speed in straight flight		В			
Trim speed more than 30 km/h		Yes	А	Yes	А
Speed range using the controls larger than 10 km/h		Yes	А	Yes	А
Minimum speed		Less than 25 km/h	А	25 km/h to 30 km/h	В
4. Control movement		Α			
Max. weight in flight up to	o 80 kg				
Symmetric control pressure / travel		not available	0	not available	0
Max. weight in flight 80 kg to 100 kg					
Symmetric control pressure / travel		Increasing / greater than 60 cm	А	not available	0
Max. weight in flight greater than 100 kg					
Symmetric control pressure / travel		not available	0	Increasing / greater than 65 cm	А
5. Pitch stability exiting a	ccelerated flight	0			
Dive forward angle on exit		not available	0	not available	0
Collapse occurs		not available	0	not available	0
flight	g controls during accelerated	0			
Collapse occurs		not available	0	not available	0
7. Roll stability and damp	ing	A			
Oscillations		Reducing	A	Reducing	A
8. Stability in gentle spira		A			
Tendency to return to straig		Spontaneous exit	A	Spontaneous exit	A
9. Behaviour exiting a fully developed spiral dive		A			
Initial response of glider (fir Tendency to return to straig		Immediate reduction of rate of turn Spontaneous exit (g force decreasing, rate of turn decreasing)	A A	Immediate reduction of rate of turn Spontaneous exit (g force decreasing, rate of turn decreasing)	A A
Turn angle to recover normal flight		Less than 720°, spontaneous recovery	А	Less than 720°, spontaneous recovery	A
10. Symmetric front colla	DSE	A		·····	
Approximately 30 % chor					

	Entry	Rocking back less than 45°	А	Rocking back less than 45°	A
	Recovery	Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	A
Dive forward angle on exit Change of course		Dive forward 0° to 30° Keeping course	A	Dive forward 0° to 30° Keeping course	A
(Cascade occurs	No	А	No	Α
F	Folding lines used	No		No	
	At least 50% chord				
E	Entry	Rocking back less than 45°	А	Rocking back less than 45°	А
F	Recovery	Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	А
[Dive forward angle on exit / Change of course	Dive forward 0° to 30° / Keeping course	Α	Dive forward 0° to 30° / Keeping course	A
(Cascade occurs	No	А	No	А
F	Folding lines used	No		No	
١	Nith accelerator				
E	Entry	not available	0	not available	0
F	Recovery	not available	0	not available	0
[Dive forward angle on exit / Change of course	not available	0	not available	0
	Cascade occurs	not available	0	not available	0
	Folding lines used	Not available		Not available	
	11. Exiting deep stall (parachutal stall)	B			
	Deep stall achieved	Yes	А	Yes	А
	Recovery	Spontaneous in less than 3 s	A	Spontaneous in less than 3 s	A
	Dive forward angle on exit	Dive forward 30° to 60°	В	Dive forward 0° to 30°	A
	Change of course	Changing course less than 45°	A	Changing course less than 45°	A
	Cascade occurs	No	A	No	A
	I2. High angle of attack recovery	A	A	110	A
	Recovery	A Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	А
	Cascade occurs	No	A	No	A
		B	~		~
	I3. Recovery from a developed full stall	-	Р	Dive ferward 20° to 60°	Р
	Dive forward angle on exit	Dive forward 30° to 60°	B	Dive forward 30° to 60°	B
		No collapse	A	No collapse	A
	Cascade occurs (other than collapses)	No	A	No	A
	Rocking back	Less than 45°	A	Less than 45°	A
		Most lines tight	А	Most lines tight	A
	I4. Asymmetric collapse	В			
	Small asymmetric collapse		•		•
r	Change of course until re-inflation / Maximum dive forward or oll angle	Less than 90° / Dive or roll angle 0° to 15°	A	Less than 90° / Dive or roll angle 0° to 15°	A
	Re-inflation behaviour	Spontaneous re-inflation	A	Spontaneous re-inflation	A
	Fotal change of course	Less than 360°	A	Less than 360°	A
(Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
٦	Twist occurs	No	А	No	А
(Cascade occurs	No	А	No	А
F	Folding lines used	No		No	
L	_arge asymmetric collapse				
	Change of course until re-inflation / Maximum dive forward or oll angle	90° to 180° / Dive or roll angle 15° to 45°	В	Less than 90° / Dive or roll angle 15° to 45°	A
F	Re-inflation behaviour	Spontaneous re-inflation	А	Spontaneous re-inflation	А
٦	Total change of course	Less than 360°	А	Less than 360°	А
(Collapse on the opposite side occurs	No (or only a small number of collapsed cells with a spontaneous reinflation)	A	No (or only a small number of collapsed cells with a spontaneous reinflation)	A
٦	Twist occurs	No	А	No	А
(Cascade occurs	No	А	No	А
F	Folding lines used	No		No	
5	Small asymmetric collapse with fully activated accelerator				
(Change of course until re-inflation / Maximum dive forward or oll angle	not available	0	not available	0

				_
Re-inflation behaviour	not available	0	not available	0
Total change of course	not available	0	not available	0
Collapse on the opposite side occurs	not available	0	not available	0
Twist occurs	not available	0	not available	0
Cascade occurs	not available	0	not available	0
Folding lines used	Not available		Not available	
Large asymmetric collapse with fully activated accelerator				
Change of course until re-inflation / Maximum dive forward or roll angle	not available	0	not available	0
Re-inflation behaviour	not available	0	not available	0
Total change of course	not available	0	not available	0
Collapse on the opposite side occurs	not available	0	not available	0
Twist occurs	not available	0	not available	0
Cascade occurs	not available	0	not available	0
Folding lines used	Not available		Not available	
15. Directional control with a maintained asymmetric collapse	A			
Able to keep course	Yes	А	Yes	А
180° turn away from the collapsed side possible in 10 s	Yes	А	Yes	А
Amount of control range between turn and stall or spin	More than 50 % of the symmetric control travel	A	More than 50 % of the symmetric control travel	А
16. Trim speed spin tendency	Α			
Spin occurs	No	А	No	А
17. Low speed spin tendency	Α			
Spin occurs	No	А	No	А
18. Recovery from a developed spin	A			
Spin rotation angle after release	Stops spinning in less than 90°	А	Stops spinning in less than 90°	А
Cascade occurs	No	А	No	А
19. B-line stall	Α		-	
Change of course before release	Changing course less than 45°	А	Changing course less than 45°	А
Behaviour before release	Remains stable with straight span	А	Remains stable with straight span	А
Recovery	Spontaneous in less than 3 s	А	Spontaneous in less than 3 s	А
Dive forward angle on exit	Dive forward 0° to 30°	A	Dive forward 0° to 30°	A
Cascade occurs	No	A	No	A
20. Big ears	A			
Entry procedure	Standard technique	А	Standard technique	А
Behaviour during big ears	Stable flight	A	Stable flight	A
Recovery	Spontaneous in less than 3 s	A	Spontaneous in less than 3 s	A
Dive forward angle on exit	Dive forward 0° to 30°	A	Dive forward 0° to 30°	A
21. Big ears in accelerated flight	0	7.		,,
Entry procedure	not available	0	not available	0
Behaviour during big ears	not available	0	not available	0
Recovery	not available	0	not available	0
Dive forward angle on exit	not available	0	not available	0
Behaviour immediately after releasing the accelerator while maintaining big ears	not available	0	not available	0
22. Alternative means of directional control	A			
180° turn achievable in 20 s	Yes	А	Yes	А
Stall or spin occurs	No	A	No	A
23. Any other flight procedure and/or configuration described in the user's manual	0	~		~
Procedure works as described	not available	0	not available	0
Procedure suitable for novice pilots	not available	0	not available	0
· ·				
Cascade occurs 24. Commonte of test pilot	not available	0	not available	0
24. Comments of test pilot	Big ears done by B3		Big ears done by B3	